

COUNTY OF PICKENS, SC
PURCHASING DEPARTMENT
BID/QUOTE PACKAGE INDEX

ENCLOSURES:	COPIES	PAGES/COPY
<u>NOTICE TO BID</u>	1	2
<u>BID AND/OR QUOTATION FORM</u>	1	2
<u>GENERAL INSTRUCTIONS TO BIDDER</u>	1	4
<u>SPECIAL INSTRUCTIONS TO BIDDER</u>	1	1
<u>MINIMUM SPECIFICATIONS</u>	1	4

NOTICE

UPON EXECUTION THIS DOCUMENT, EXCEPTIONS, ADDITIONS, SPECIAL
TERMS AND CONDITIONS SHALL CONSTITUTE A BINDING CONTRACT.

PLEASE READ "GENERAL INSTRUCTIONS TO BIDDERS" AND
"INSTRUCTIONS TO BIDDERS" VERY THOROUGHLY.

COUNTY OF PICKENS, SOUTH CAROLINA

PURCHASING DEPARTMENT

DATE February 3, 2012

NOTICE

Sealed bids for furnishing:

1 EA NEW 2011 OR NEWER TRI AXLE DUMP TRUCK

subject to the conditions and provisions set forth in the attached, bids (**2 copies**) will be received at this office until **11:00 AM on February 24th, 2012**, then publicly opened. The commodities and/or services must be furnished as described and specified in this package. PICKENS COUNTY reserves the right to reject any or all bids. 5% Bid Bond will be required at bid opening. Successful bidder must be willing to certify they do not employ any unauthorized aliens


BIDS will be opened in the BOARD ROOM OF THE ADMINISTRATION BUILDING, 222 McDaniel Avenue, Pickens, South Carolina.

Please address mailed bids to:

**Pickens County Purchasing
222 McDaniel Avenue, B-3
Pickens, SC 29671
Attn: Ralph Guarino**

Envelopes should be conspicuously marked in the lower left hand corner: **BID NO. 2012-06**

SIGNATURE:


Ralph Guarino
Purchasing Director

BID AND/OR QUOTATION FORM

COUNTY OF PICKENS
PURCHASING DEPARTMENT
222 McDANIEL AVENUE, B-3
PICKENS, SC 29671

submits herewith our Bid and/or Quotation in response to bid/quote request number shown above and in compliance with the description and/or specifications numbered **2012-06** and attached hereto for:

1 EA. NEW 2011 OR NEWER TRI AXLE DUMP TRUCK

- | | |
|---|--------------|
| 1. Base Bid/ Quote: | \$ _____ ea. |
| a. Make: _____ | |
| b. Model: _____ | |
| 2. Less Trade-In Allowance:
(where applicable) | \$ _____ ea. |
| 3. Sub Total: | \$ _____ ea. |
| 4. Other Charges (please specify) | \$ _____ ea. |
| a. _____ | \$ _____ ea. |
| b. _____ | \$ _____ ea. |
| c. _____ | \$ _____ ea. |
| 5. South Carolina Sales Tax: | \$ _____ ea. |
| 6. Freight Charges: | \$ _____ ea. |
| 7. Total Delivered Price: | \$ _____ ea. |

Show any exception, deviation, extra computation, or information on Bid/Quotation Supplemental Form attached hereto.

Delivery Date: _____

BID/QUOTE NO. 2012-06

BID AND/OR QUOTATION FORM

BIDDING ORGANIZATION: _____

SIGNATURE OF BIDDER'S REPRESENTATIVE: _____

NAME: _____
(please print)

TITLE: _____

DATE: _____

PHONE: _____

FAX: _____

COUNTY OF PICKENS

GENERAL INSTRUCTIONS TO BIDDERS

Unless otherwise stated, the following General Instructions will apply.

I. BID OPENING AND AWARD:

Bid proposals will be examined promptly after opening and each bid will be announced to all participating. It is not a practice to award any bid until the County Administrator, Purchasing Director and the interested Division/Department Head have had ample time to review each Bid Proposal. Award will be made, however, at the earliest possible date. No Bid Proposal(s) may be withdrawn for a period of sixty (60) days after bid opening date. If the mail is delayed beyond the date and hour set for the bid opening, Bid Proposal(s) thus delayed, will **NOT** be considered.

II. TAXES:

The County pays South Carolina State Sales Taxes. The County is exempt from Federal Excise Taxes and will issue exemption certificates when requested. All applicable taxes should be shown as separate line items on the bid form.

III. BASIS OF BID AWARD:

Award of bid shall be made to a responsible bidder meeting the Specifications, with consideration being given to the following:

- (a) Superior quality and specification adherence
- (b) Adequate maintenance and service
- (c) Delivery date and/or completion time
- (d) Company's reputation and financial status
- (e) Past experience and cost with similar or like equipment or service
- (f) Anticipated future cost and experience
- (g) Performance of bidder's equipment in hands of other agencies, plants and firms

IV. GUARANTEE WITH BID:

To protect the interest of the County, the Bidder guarantees that the equipment offered is standard new equipment, latest model of regular stock product, with parts regularly used for the type of equipment offered; also, that no attachment or part has been substituted or applied contrary to the manufacturer's recommendations and standard practices.

V. USE OF BRAND NAMES

Specifications contained herein, in some cases, may refer to brand names. Brand names and numbers are used ONLY to set forth and convey to prospective Bidders the general style, type, character and quality of equipment desired.

VI. USE OF BRAND NAMES IN BID

If the article bid upon has a trade or brand name, show name in the bid.

VII. SPECIFICATION DEVIATIONS BY THE BIDDER

Any deviation from this specification MUST be noted in detail and submitted in writing with this Bid Proposal. Completed specifications should be attached for any substitutions offered, or when amplifications are desirable or necessary. The absence of the specification deviation statement and accompanying specifications will hold the Bidder strictly accountable to the specifications as written herein. Failure to submit this document of specification deviation, if applicable, shall be grounds for rejection of the item(s) when offered for delivery. If specifications or descriptive papers are submitted with bids, the bidder's name should be clearly shown on each document.

The specifications, as listed herein, represent our preference in equipment, however, we are fully cognizant that no two pieces of equipment from different manufacturers are the same. Therefore, if your equipment is similar and/or same in size, function, and operation, but some of the specifications do not completely coincide with ours as listed, please list your exceptions and explanations separately. It is not our intent to write specifications for a piece of equipment that only one manufacturer can submit a bid.

VIII. SPECIFICATION CHANGES AFTER BID AWARD:

Any changes in specifications after the Purchase Order/Contract has been awarded, must be with written consent of the Purchasing Department, otherwise, the responsibility for such changes shall be with the vendor.

XI. BROCHURES:

Bid Proposals shall include adequate brochures, latest printed specifications and advertising literature describing the product(s) offered in such fashion as to permit ready comparison with the specifications on an item-to item basis where applicable.

X. SPECIFICATION CHANGES, ADDITIONS, AND DELETIONS:

All changes in specifications shall be in writing and furnished to ALL Bidders. Verbal information obtained otherwise will NOT be considered in awarding of bids.

XI. BID CHANGES:

Bids, amendments thereto or withdrawal requests received after the time advertised for bid opening, will be void regardless of when they were mailed.

XII. DELIVERY LOCATION:

**PICKENS COUNTY VEHICLE MAINTENANCE SHOP
1509A WALHALLA HWY
PICKENS, SC 29671**

XIII. TIE BIDS:

In the case of tie bids, the County reserves the right to make the award based on factors outlined in this bid package in what is considered to be in the best interest of the County.

XIV. INFORMATION:

Any questions or inquiry concerning this bid or the equipment this bid represents by any company or company representative must be **faxed** to the attention of:

**RALPH GUARINO, Purchasing Director
222 McDaniel Ave., B-3
Pickens, SC 29671
Phone: (864) 898-5854
Fax: (864) 898-5924**

XV. OTHER CHARGES:

Bid prices shall include as separate line items all freight (transportation) and preparation charges, applicable taxes and any other applicable charges fully prepaid to the point of delivery so that the bid price is the total price to be paid for the item(s).

XVI. INSPECTION AND ACCEPTANCE:

Inspection and acceptance shall be conducted by the persons named below:

NAME:	TITLE:
MR. J. CHAPPELL HURST	COUNTY ADMINISTRATOR
MR. GERALD WILSON	SOLID WASTE DIRECTOR
MR. RALPH GUARINO	PURCHASING DIRECTOR

After delivery to the county, a careful inventory will be made by the designated personnel. They will have the absolute authority to accept or reject the item(s) for the county.

XVII. INVOICE (S), CERTIFICATES OF ORIGIN AND WARRANTIES AND GUARANTEES:

Invoice(s), certificates of origin and warranties and guarantees must be submitted at the time of delivery of the item(s).

The right is reserved to reject any or all bids, or to accept that deemed most advantageous to this office for value received.

XVIII. PAY SCHEDULE:

Pickens County issues payment checks on the 10th of the month following receipt of equipment, supplies and/or services.

SPECIAL INSTRUCTIONS TO BIDDER

In the event that any supplier should wish to submit a proposal but finds it impossible to comply with all the specifications set forth, their proposal will be received provided the following is adhered to:

Any exceptions, substitutions, deletions or any deviations from these specifications shall be explained in detail on a separate page entitled "Exceptions". Bidder must show proof that any exception is equal or superior to those specified. Failure to conform to the above requirement shall be cause for rejection of proposal. Bidder must submit detailed specifications with the proposal and drawings of each exception.

SILENCE OF SPECIFICATIONS:

The apparent silence of this specification and any supplemental specification as to any details or the omission from it of a detailed description concerning any point shall be regarded as meaning that only the best commercial practices are to prevail and that only materials of first quality and correct type, size, and design are to be used. All workmanship is to be first quality. All interpretations of this specification shall be made upon the basis of this statement.

Pickens County reserves the right to waive technicalities and reject any or all bids.

Requirements for Equal Employment Opportunity and Minority Business Enterprises are applicable to this contract.

PAGE DOWN FOR MINIMUM SPECIFICATIONS

ITEM	YES	NO	OFFERED
CHASSIS			
2011 Model Year or Newer			
10.625" x 3.25" x .3125" Frame			
1/4" Full Frame Liner			
2,854,800 in-lbs RBM Rating			
204" Wheelbase			
405 HP @1,500-1,900 RPM Diesel Engine			
1,480 ft-lbs Torque @ 1,200 RPM			
Engine Brake			
Particulate Filter			
Fuller, RTO 14708LL 10SPD TRANS			
16.5 CFM Air Compressor			
100A Alternator			
1,980 CCA Batteries			
Bug Screen on Radiator			
Vertical Exhaust			
Exhaust Heat Shield			
Horton On/Off Fan Drive			
Aluminum Flywheel Housing			
Copper Core Radiator			
A/C			
Dash-Mounted Air Restriction Monitor			
Conventional Cab			
Dual Air Horns			
Single Electric Horn			
Five (5) Roof Marker Lights			
Instrument Panel			
Vinyl Headliner			
Black Rubber Floor Mats			
Sun Visors			
Heated Mirrors			
8" Diameter Convex Mirrors			
1 Auxillary 12V Outlets			
AM/FM/CD/WB			
Bostrom Talladega 915 Air Driver's Seat			
Inboard Driver's Arm Rest			
Fixed Passenger's Seat			
Exterior Sun Visor			
Bumper			
Radiator Guard			
Front Tow Eyes			
Dual 55 Gallon Aluminum Fuel Tanks			
SS Fuel Tank Straps			
18,000# Front Axle			
18,000# Front Suspension			
Front Automatic Slack Adjusters			

Power Steering			
16.5" x 6" S-Cam Front Brakes			
315 80R22.5 Front Tires			
Steel Hub-Piloted Disc Front Wheels			
44,000# Rear Tandem Axle			
44,000# Camel Back Suspension			
Rear Automatic Slack Adjusters			
16.5" x 7" S-Cam Rear Brakes			
11R22.5 Rear Tires			
Steel Hub-Piloted Disc Rear Wheels			
Power Divider Lock-Out			
Anti-Sway Springs			
Transverse Torque Rod			
4.10 Rear Axle Ratio			
ABS Air Brakes			
Heated Air Dryer			
Manual Air Tank Drain Valves- Pull Lanyard			
Exterior Color: High Gloss White			
Interior Color: Saddle			
Hand Throttle Control			
Engine Protection System			
Owner/Operator Manual			
Shop and Parts Manual			
ABS Fire Extinguisher In Cab			
Triangle Kit In Cab			
	YES	NO	OFFERED
DUMP BED			
Direct Mount Hydraulic Pump			
18 Cubic Yard H/D Dump Body (53"H X 16' L X 8' W)			
1/4" Floor Plate			
3/16" Sides			
Front and Gate Plate			
Swing around Tail Gate			
TARP EQUIPPED WITH RE-COIL SPRING			
12 VOLT ELECT TARP RE-WIND			
LIFT AXLE			
Silent Drive Lift Axle			
11" Ride Height			
12,000# Capacity			
Forged I-Beam Type w/ 3-1/2" Drop			
15" x 4" Brake Shoes			
Air Up/Air Down System			
In-Cab Control Station			
(1) 255/70R22.5 Tire Per Side, Mounted On Hub-Piloted Steel Disc Wheel			
Warranty Statement Attached			